

How to test drugs with xylazine and fentanyl test strips.

XYL


Xylazine Test Strips can tell you if your drugs contain xylazine, a powerful non-opioid sedative.

FYL

Fentanyl Test Strips can tell you if your drugs contain fentanyl, a powerful opioid.

Do not use test strips more than once.

- You can test your drugs for xylazine and fentanyl using the same sample.
- Finely crush pills and tablets, add water to the powder and mix thoroughly. If you do not want to test the entire pill, break it in half and test a portion from the middle.
- Put 10 (ten) milligrams (mg) of your drugs (enough to cover Abraham Lincoln's hair on a penny) in a clean, dry container.
- If you cannot test 10 mg of your drugs, put at least a few grains in a clean, dry container.
- Add water to your drugs and mix them up.
 - For **meth, MDMA and ecstasy**, use 1 (one) teaspoon (about 5 ml) of water for every 10 mg of crystal or powder you are testing.
 - For **all other drugs**, use a half (1/2) teaspoon of water.
- Place the test strips with the wavy side down in the water. Let the strips absorb the water for 15 seconds.
- Take the strips out of the water and place it on a flat surface for 5 (five) minutes.



Read the results: What do the test results mean?



Positive test: One line at the top means Xylazine, Fentanyl or a similar synthetic opioid has been detected in your drugs.



Negative Test: Two lines (even of one is very faint) means Xylazine, Fentanyl or a similar synthetic opioid has **not** been detected in your drugs.

Remember, no test is 100% accurate and your drugs may still contain xylazine, fentanyl or a similar synthetic opioid.



Invalid test: No lines or one line closer to the wavy side of the strip means the test is invalid. Retest your drugs using a new strip.

Never Use Alone

Avoid using alone, and if you do, dial or scan to call the Never Use Alone Hotline at **(800) 484-3731** to have an operator stand by while you use.



TOMPKINS COUNTY
Whole Health